# Amendments to the Claims:

Please cancel claims 46-48 and amend claims 1, 15, and 29 as indicated. This listing of claims will replace all prior version, and listings, of claims in the application:

## **Listing of Claims:**

This listing of claims will replace all prior version, and listings, of claims in the application – No amendments were made to the claims:

1. (currently amended): A computerized method of operating an e-mail-invoked application server comprising the steps of:

receiving an incoming e-mail message from a sender utilizing a network, wherein the incoming e-mail includes content and a destination address having an address format;

determining which application of a plurality of applications available on the e-mail-invoked application server will accept the incoming e-mail for processing by comparing the address format of the destination address to acceptable address formats defined by the applications, the acceptable address formats of the form data@host.domain, wherein domain indicates a domain name of the e-mail-invoked application server, host indicates an application available in the domain, and data indicates information provided by the sender;

refusing the incoming e-mail when it is determined that no application will accept the incoming e-mail for processing; and

invoking at least one of the plurality of applications to process the content of the incoming e-mail when it is determined that the address format of the destination address is one of the acceptable address formats defined by the at least one application.

- (previously presented): A method as recited in claim 1, further including the step of storing at least a portion of the incoming e-mail message in a database.
- 3. (previously presented): A method as recited in claim 1, wherein the at least one application is selected from the group consisting of a lead tracking application, a

job requisitioning application, an event planning application, a task list management application, a project management application, and an accountability application.

- 4. (previously presented): A method as recited in claim 1, wherein the at least one application invoked by the incoming email generates a reply to the incoming email message to advance the processing of a task.
- 5. (previously presented): A method as recited in claim 1, wherein the at least one application summarizes an interaction between one or more users of the e-mail-invoked application server.
- (original): A method as recited in claim 5, wherein a task list is generated to summarize the interaction.
  - 7. (canceled).
- 8. (previously presented): A method as recited in claim 1, wherein the at least one application invoked by the incoming email generates an event to advance the processing of a task.
- 9. (previously presented): A method as recited in claim 2, wherein a reply to the e-mail message is utilized to generate another e-mail message to obtain information for the database.
  - 10. (canceled).
- 11. (previously presented): A method as recited in claim 1, wherein the e-mail message includes an attachment.
- 12. (previously presented): A method as recited in claim 1, wherein the incoming e-mail message has one or more attributes, and further comprising steps of:

generating an index based on the one or more attributes of the incoming e-mail message; and

storing the index in a database.

13. (previously presented): A method as recited in claim 1, further comprising the steps of:

storing the incoming email message in a database;

categorizing the content of the incoming e-email message into one or more categories, and

permitting retrieval of information from the database according to at least one of the one or more categories.

- 14. (canceled).
- 15. (currently amended): A computer program embodied on a computer readable medium for operating an e-mail-invoked application server, comprising:
- a code segment for receiving an incoming e-mail message from a sender utilizing a network, wherein the incoming e-mail includes content and a destination address having an address format;
- a code segment for determining which application of a plurality of applications available on the e-mail-invoked application server will accept the incoming e-mail for processing by comparing the address format of the destination address to acceptable address formats defined by the applications, the acceptable address formats of the form data@host.domain, wherein domain indicates a domain name of the e-mail-invoked application server, host indicates an application available in the domain, and data indicates information provided by the sender;
- a code segment for refusing the incoming e-mail when it is determined that no application will accept the incoming e-mail for processing; and
- a code segment for invoking at least one of the plurality of applications to process the content of the incoming e-mail when it is determined that the address

format of the destination address is one of the acceptable address formats defined by the at least one application.

- 16. (previously presented): A computer program as recited in claim 15, further including the step of storing at least a portion of the incoming e-mail message in a database.
- 17. (previously presented): A computer program as recited in claim 15, wherein the at least one application is selected from the group consisting of a lead tracking application, a job requisitioning application, an event planning application, a task list management application, a project management application, and an accountability application.
- 18. (previously presented): A computer program as recited in claim 15, wherein the at least one application invoked by the incoming e-mail generates a reply to the incoming e-mail message to advance the processing of a task.
- 19. (previously presented): A computer program as recited in claim 15, wherein the at least one application summarizes the interaction between one or more users of the e-mail-invoked application server.
- 20. (original): A computer program as recited in claim 19, wherein a task list is generated to summarize the interaction.
  - 21. (canceled).
- 22. (previously presented): A computer program as recited in claim 15, wherein the at least one application invoked by the incoming e-mail generates an event to advance the processing of a task.

23. (previously presented): A computer program as recited in claim 16, wherein a reply to the e-mail message is utilized to generate another e-mail message to obtain information for the database.

#### 24. (canceled)

- 25. (previously presented): A computer program as recited in claim 15, wherein the e-mail message includes an attachment.
- 26. (previously presented): A computer program as recited in claim 15, wherein the incoming e-mail message has one or more attributes, and further comprising:
- a code segment for generating an index based on the one or more attributes of the incoming e-mail message; and
  - a code segment for storing the index in a database.
- 27. (previously presented): A computer program as recited in claim 15, further comprising:
  - a code segment for storing the incoming e-mail message in a database;
- a code segment for categorizing the content of the incoming email message into one or more categories; and
- a code segment for permitting retrieval of information from the database according to at least one of the one or more categories.

#### 28. (canceled).

29. (currently amended): A system for operating an e-mail-invoked application server, comprising:

logic for receiving an incoming e-mail message from a sender utilizing a network, wherein the incoming e-mail includes content and a destination address having an address format;

logic for determining which application of a plurality of applications available on the e-mail-invoked application server will accept the incoming e-mail for processing by comparing the address format of the destination address to acceptable address formats defined by the applications, the acceptable address formats of the form data@host.domain, wherein domain indicates a domain name of the e-mail-invoked application server, host indicates an application available in the domain, and data indicates information provided by the sender;

+6508124274

logic for refusing the incoming e-mail when it is determined that no application will accept the incoming e-mail for processing; and

logic for invoking at least one application to process the content of the incoming e-mail when it is determined that the address format of the destination address is one of the acceptable address formats defined by the at least one application.

- 30. (previously presented): A system as recited in claim 29, further including logic for storing at least a portion of the incoming e-mail message in a database.
- 31. (previously presented): A system as recited in claim 29, wherein the at least one application is selected from the group consisting of a lead tracking application, a job requisitioning application, an event planning application, a task list management application, a project management application, and an accountability application.
- 32. (previously presented): A system as recited in claim 29, wherein the at least one application invoked by the incoming e-mail generates a reply to the incoming email message to advance the processing of a task.
- 33. (previously presented): A system as recited in claim 29, wherein the at least one application summarizes the interaction between one or more users of the e-mailinvoked application server.
- 34. (original): A system as recited in claim 33, wherein a task list is generated to summarize the interaction.

- 35. (canceled).
- 36. (previously presented): A system as recited in claim 29, wherein the at least one application invoked by the incoming e-mail generates an event to advance the processing of a task.

+6508124274

- 37. (previously presented): A system as recited in claim 30, wherein a reply to the e-mail message is utilized to generate another e-mail message to obtain information for the database.
  - 38. (canceled)
- 39. (previously presented): A system as recited in claim 29, wherein the e-mail message includes an attachment.
- 40. (previously presented): A system as recited in claim 29, wherein the incoming e-mail message has one or more attributes, and further comprising:

logic for generating an index based on the one or more attributes of the incoming e-mail message; and

logic for storing the index in a database.

41. (previously presented): A system as recited in claim 29, further comprising: logic for storing the incoming email message in a database;

logic for categorizing the content of the incoming e-mail message into one or more categories; and

logic for permitting retrieval of information from the database according to at least one of the one or more categories.

42. (canceled).

- 43. (previously presented): A method as recited in claim 11 wherein the step of invoking at least one application is responsive to the attachment.
- 44. (previously presented): A computer program as recited in claim 25 wherein the code segment for invoking at least one application is responsive to the attachment.
- 45. (previously presented): A system as recited in claim 39 wherein the logic for invoking at least one application is responsive to the attachment.
- 46. (canceled). (previously presented): A method as recited in claim 1 wherein one of the acceptable address formats defined by the plurality of applications is data@host.domain, wherein domain indicates a domain name of the e-mail invoked application server, host indicates an application available in the domain, and data indicates information provided by the sender.
- 47. (canceled).(previously presented): A computer program as recited in claim
  15 wherein one of the acceptable address formats defined by the plurality of
  applications is data@host.domain, wherein domain indicates a domain name of the email invoked application server, host indicates an application available in the domain,
  and data indicates information provided by the sender.
- 48. (canceled). (previously presented): A system as recited in claim 29 wherein one of the acceptable address formats defined by the plurality of applications is data@host.domain, wherein domain indicates a domain name of the e-mail invoked application server, host indicates an application available in the domain, and data indicates information provided by the sender.
- 49. (previously presented): A method as recited in claim 1 further including the steps of
- determining a recipient email address of an actual recipient of the incoming email; and

transmitting the incoming e-mail message to the recipient email address utilizing the network.

- 50. (previously presented): A computer program as recited in claim 15 further including
- a code segment for determining a recipient email address of an actual recipient of the incoming e-mail; and
- a code segment for transmitting the incoming e-mail message to the recipient email address utilizing the network.
- 51. (previously presented): A system as recited in claim 29 further including logic for determining a recipient email address of an actual recipient of the incoming e-mail; and

logic for transmitting the incoming e-mail message to the recipient email address utilizing the network.